
OE-MD Gen 3 Hardware Manual - Features and Contents

[Important Safeguards](#)

[Warranty](#)

[Product Description](#)

[Controls and Connections](#)

[Features](#)

[Box Contents](#)

[Recorder Installation](#)

Important Safeguards


View [Important Safeguards](#) before installing the recorder.

Warranty


View the [Product Warranty](#) for the recorder.

Controls and Connections


MD-Series Front Panel (8 Channel)




MD-Series Back Panel (8 Channel)



MD-Series Front Panel (16 Channel)



MD-Series Back Panel (16 Channel)



WARNING: The Camera network Port is equipped with a DHCP server and intended for use only with a dedicated independent camera network on its own network switch. Connecting to the Camera Port to a network with another DHCP server will cause significant network issues.

Features

OpenEye's MD-Series recorders include the following features:

- Complete remote operation and administration with Web Connect
- Record up to 32 channels of IP video per appliance
- 8 and 16 channel on-board PoE
- Up to 40TB on-board storage
- Dual GbE for Dedicated Client and Camera Networks
- Desktop Form Factor with rack mount capability (16CH only)
- Dedicated OS SSD

Box Contents

OpenEye's MD-Series recorders come with a power cord, mouse, and a rack mount or wall mount installation kit. Identify the following components to make sure everything has been properly included with the new recorder. If any of the following items are missing, contact the dealer to arrange a replacement.




OE-MD Recorder



Power Cord



Mouse



Rack Mount Installation Kit

Related Links

[OE-MD Gen 3](#)

[MD-Series Gen 3 Cloud Managed Appliance Quick Start Guide](#)

[Recorder Installation](#)