

BioMini Plus 2

PIV Certified Authentication Scanner



Suprema BioMini Plus 2 has been designed to provide high level security solution with its proven reliability of FBI-PIV certification. BioMini Plus 2 features industry's most advanced MDR(multi dynamic range) technology to capture exceptional image quality even under extreme lighting conditions(operates under direct sunlight up to 100,000 LUX).

The scanner also features cutting-edge live fingerprint detection(LFD) technology for improved security against spoofing, and the latest version of multi award-winning Suprema algorithm for better performance. Combined with ergonomic design, high speed USB 2.0 interface and comprehensive SDK solution, BioMini Plus 2 offers superb biometric authentication solution for both public and commercial applications.



BioMini Plus 2

PIV Certified Authentication Scanner

FEATURES



- FBI PIV and FBI Mobile ID FAP10 certificates
- Image compression standard: WSQ



- Multi Dynamic Range (MDR) Technology
- Operates under direct sunlight up to 100,000 LUX



- Live Fingerprint Detection (LFD) Technology
- Distinguishes fake fingerprints made from various materials including clay, rubber, silicon, glue, paper, film and more



- New Improved Optical Sensor
- 500dpi optical fingerprint sensor
- Scratch proof IP65 sensor surface



- Easy Integration
- BioMini SDK for easy application development
- Android, MS Windows & Linux compatible
- Multi-threaded code design for multi-core CPU utilization

SPECIFICATIONS

Sensor	Image Quality Standards	FBI PIV/FBI Mobile ID FAP10
	Live Finger Detection	0
	Sensor Type	Optical
	Resolution	500 ppi
	Gray Scale	256 level
	Platen Size (W x L mm)	16.0 x 19.0
	Sensing Area (W x H mm)	16.0 x 18.0
H/W	Image Size (W x H pixels)	315 x 354
	Interface	USB 2.0 High Speed
	Operating Temperature(°C)	-10~50°C
	Operating humidity	0 ~ 90% RH
	Ingress Protection	IP65 (Sensor Surface)
	Dimensions (W x L x Hmm)	66 x 90 x 58
	Weight (g)	175
S/W	Windows	Windows XP, Vista, 7, 8, 8.1, 10 32/64bit
	Linux	Ubuntu, Debian, Fedora, OpenSUSE, Cent OS 32/64bit
	Android Android 4.1(Jelly Bean)and Above	0
	Image Format	RAW, BMP, WSQ, ISO 19794-4
	Template Type	Suprema, ISO19794-2, ANSI-378
Certification	CE	0
	FCC	0
	KC	0
	RoHS	0
	UL	X
	USB-IF	0
	CB	0
	IEC62471	0
	WEEE	0
	REACH	X
	WHQL	0

Suprema
SECURITY & BIOMETRICS

Suprema ID Inc.

#305~308, 3F, Building A, Tera Tower 2, 201 Songpa-daero, Songpa-gu, Seoul, Republic of Korea
T +82 31 710 5629 E sales_id@supremainc.com www.suprema-id.com

©2020 Suprema ID Inc. Suprema and identifying product names and numbers herein are registered trade marks of Suprema ID Inc. All non-Suprema brands and product names are trademarks or registered trademarks of their respective companies. Product appearance, build status and/or specifications are subject to change without notice. [SUPREMAID-DHL-BMP2-EN-REV03]