

ELECTRONIC LOCKS

**SALTO**  
inspiredaccess

## XS4 One - EU

The Salto XS4 One is the evolution of the Original model with a built-in, totally new reader available in two colours. This version is compatible with most European mortise locks and cylinders.




**Features**

- Simple installation is possible on any type of door, including those with narrow frames.
- Body and escutcheon made of steel.
- Available with mechanical cylinder cut outs for key override or access lock outs (override European and Cam profile cylinder) with audit trail facility available.
- Mechanical or electronic privacy option.
- The lock can always be opened from the inside (single action panic feature works in conjunction with the relevant mortise- lock).
- Complementary escutcheons without reader available to maintain the aesthetics of doors that do not need to be controlled.

**Technical characteristics**

- Covers door thicknesses: From 32mm up to 120mm.
- Dimensions: 285mm x 42mm x 19,5mm.
- Reversible handle left or right escutcheon.
- Clutch mechanism escutcheon; when unlocked handle moves freely.
- Handle rotation: 45°.
- Distance from the handle to the cylinder: 47mm to 110mm.
- Compatible with DIN and European mortise locks, mortise locks with Swiss profile cylinder, Australian standard mortise locks and narrow style mortise lock.
- Compatible with European profile and Swiss profile cylinders.
- Square spindles available: 7mm, 7.6mm split (Australia), 8mm, 8mm split, 9mm and 9mm split.

**Technical drawing**









**Finish**



**Reader finish**



**Technology platforms**

-  **Salto Space**
-  On-premise Network
-  **Salto KS**
-  Cloud application
-  **Salto Homelok**
-  Cloud application

Wireless technologies




Carriers



Key Card  
NXP MIFARE®  
HID®

Certifications



Key Fob  
NXP MIFARE®



(\* ) External escutcheon.



Digital Key  
Bluetooth LE  
NFC - Near Field Communication

Disclaimer:

For a complete description of the product range, verification of the availability and technical feasibility of the selected product, and a commercial offer, please get in touch with the local authorized SALTO dealer or a SALTO office.

SALTO Systems reserves the right to modify the product and its components.

Technical information and images displayed on the SALTO Systems product page are for informative purposes only and designed to inform about the main product features, options and technical specifications. Therefore, all images, illustrations, shapes, features, specifications, sizes, data, descriptions and colours shown on the SALTO Systems page shall consider as no-binding approximate indications only.