

Best-in-class  
Hybrid  
Communications  
Solution

iPECS  
eMG100

**iPECS**  
Your Communications Solution

# Simple and Cost Effective yet Reliable and Powerful Communications



It's time for unified communications (UC), the transformative tool that integrates all your business communications into one place. Here's the cost competitive and simple platform for small and midsize businesses to help connect better, boost efficiency, and move your business to the next level.

- Best-in-class hybrid for analog, digital and IP technologies
- Single cabinet for basic and expansion KSU
- Equipped with all RJ45 interfaces
- Max 214 ports - 74 trunks/140 EXT.
- Wall or 19 inch rack mounting

## Cost effective hybrid platform

It's a cost effective hybrid platform that supports IP, digital, analog, and UC devices, so you can work from any device with any technology. When looking for a communication system, value for money comes as the main decision-making factor. iPECS eMG100 provides many built-in solutions that will maximise your return on investment. TDM interfaces, built-in VoIP and VM capacity with emergency alarm and relay and paging features are all embedded as default. Compact design, single cabinet with many of the communication features included out of the box. Enjoy your best-in-class hybrid communication system with iPECS eMG100.

## Simple single cabinet

With a single cabinet solution it removes the hassle of carrying multiple cabinet types for your communications solution. iPECS eMG100 comes as a single cabinet that can be wall mounted or 19-inch rack mount depending on your requirements. All ports are equipped with a RJ45 interface to have universal compatibility. Whether you are looking for series of capacity upgrades, complete hardware expansion or technology upgrade from TDM to IP, this single cabinet simplifies your solution options. Add an additional license to connect another iPECS eMG100 cabinet to simply double your communication power.

## Prepare for growth

Be prepared for expansion, with a seamlessly scalable communications system. It's easy to add capacity, along with all the features you need for easy expandability. Take advantage of the business communications platform that adapts to your requirements.

## Easy installation and simple management

Transition seamlessly to a new system that doesn't disrupt. IT managers can breeze through initial installation, and quickly customise settings for easy management. The user-friendly interface is consistent across devices, keeping training times quick. Simple software installation makes the initial settings effortless. Multiple levels of user-friendly administration tools also add value for easy management. Web-admin helps IT managers to easily customise their workflows and manage the real-time operation locally and remotely. The 'Web User Portal' allows end-users to easily personalise their communication needs from anywhere and anytime on any device such as their desktop, smart phone or tablet.

## Reliable multi-site deployment

We provide multi-site deployment with a local/branch system that supports local survivability (LCM). Centrally connected and managed, your communication system is secure and reliable. In case of a network failure, local servers will take over the operation to securely manage the local communication system. Backup connections to the local PSTN network can also be used as a last resort. Avoid downtime with automatic fail-over between sites, so that your clients can reach you whenever they need.





## iPECS eMG100



- 2 user license included for iPECS UCS / iPECS Click Call
- 4 VM and 2 VoIP channels included on basic KSU
- 32 IP EXT. Included and expandable up to 64 EXT.
- 32 Mobile EXT. Included and expandable up to 140 EXT.
- ACD, Audio conference, VM to e-mail notification are included
- Relay, alarm, paging and MOH are included

### Out of the box Unified Communications

As the most compelling advantage, advanced business communication features are provided by default. Users can improve business efficiency and productivity with embedded UC features including real-time voice, video and presence enabled instant messaging under a single user interface on any device.

### Out of the box premium features

In addition to embedded UC with iPECS UCS, TDM interface and VoIP channel capacity, premium features are also included in the basic package. For efficient internal and external communications, the system has an Audio Conference Bridge and Automatic Call Distributor (ACD) default to increase your organisation's productivity with no extra cost. Use the audio conference bridge for daily group call meetings up to 13 participants with max 40 simultaneous conferences. Using the built in ACD will provide a better customer service allowing all call to be answered and routed to the proper departments, providing real time monitoring and supervision, as well as call statistics and ACD event messages for management reporting.

### Rich business applications

iPECS eMG100 provides a various range of business applications and mobile clients to fulfill varying needs and requirements in the small and medium sized enterprise environments. It also offers interoperability with various 3rd party solutions in hospitality, healthcare and other vertical industries.

### Tailor to your needs

All businesses are different. Whatever makes you distinctive, pick the applications and integrations you need to connect better and deliver more. Choose from the many add-ons to meet your specifications from our suite of products or from compatible 3rd party solutions with easy integration. iPECS eMG100 provides a cost-effective way to use existing solutions by using universal interfaces such as Web API to provide compatibility.

### Aspire to be mobile


By embracing VoIP technology, you can benefit with the enterprise grade mobility of the iPECS eMG100 that is maximised for mobility solutions. Whether in the office, warehouse or in a factory IP DECT provides reliable communications even in the high demanding environments. For more personalised mobility and for outside office the iPECS UCS brings the power of a desk phones into smart-phones or tablet PCs. In addition, the Mobile Extension (MEX) feature is provided for seamless communications and ease of use for calls to be seamlessly and easily moved back and forth between desk phone and mobile. Be professional with one-number service from any device in any location. Utilise iPECS mobility solutions and take the office with you.

# Applications for Business Performance



Make your communications efficient with our full suite of business applications. Build smarter work-flows for better collaboration with time-saving solutions powered by iPECS. iPECS eMG100 offers communication add-ons as a competitive differentiator that makes your business more agile and flexible.

## iPECS UCS



### IP based productivity-boosting enterprise UC

- Integrated presence and IM, SMS continuity
- Voice and video call & conference
- Click to call and call control on your PC for your call devices
- Call recording on any device
- CRM integration support
- Directory service/phonebook management
- Organisation chart



## iPECS Attendant Office

IP based Attendant application for receptionists

- Handle calls easily with simple click or drag & drop
- Wait time and priority based call handling with caller information
- Call park, paging, and e-mail for multi-purpose call handling
- Presence monitoring for all devices including phones and clients
- Embedded IP softphone : Desktop call control mode supported
- Directory service/phonebook management



## iPECS Attendant Hotel

Hotel solution optimised for small to medium sized hotels

- Effective front desk and staff work
- Night service or emergency mode
- Maximise guest service
- Effective call management
- Productivity features :
  - Various Hotel features
  - Various and quick alternative contacts
  - Flexible and configurable layout and user interface
  - Statistic report and Snapshot of group monitoring
  - Local language support



## iPECS ClickCall

Standard windows application to make dialing a breeze

- Click to call from any selectable number in Windows application
  - Show previous dialed call log, up to 10
  - Exit/Setup through the icon in Windows tray
  - Setup dialing information
  - Multi language support
- Call control client without voice module
- Easy installation : Simple call client without dedicated server

# Terminals



iPECS eMG100 supports an extensive range of terminals from IP and Digital to IP DECT.

These are designed for professional users who require a wide range of feature-rich telephony devices to match your constantly changing business needs. iPECS eMG100 will give you an access to a large portfolio of terminals to optimise your unique business communications solution.

## Digital Phones

### LDP-9240D

- 320 X 144 graphic LCD with backlight
- 12 Flexible buttons (Dual LED, 12 X 2)
- Full duplex speaker phone
- Supports EHS



### LDP-9224DF

- 192 X 36 graphic LCD with backlight
- 24 Flexible buttons (Dual LED)
- Full duplex speaker phone
- Supports DSS button kit
- Supports EHS



### LDP-9208D

- 2 X 24 character LCD without backlight
- 8 Flexible buttons (Dual LED)
- Half duplex speaker phone
- No Support for DSS Button Kit
- No Support for EHS



### LIP-9012DSS

- Support : LDP-9240D/24DF
- Flexible button : 12 with 3 color LED
- Underlay type : Paper
- DSS connection : 1



### LIP-9024DSS

- Support : LDP-9240D/24DF
- Flexible button : 24 with 3 color LED
- Underlay type : Paper
- DSS connection : 1



### LDP-9248DSS

- Support : LDP-9240D/24DF
- Flexible button : 48 with 3 color LED
- Underlay type : Paper
- DSS connection : Up to 2



### LG-EHS-KIT

(Electronic Hook Switch Adaptor)

- Support : LDP-9240D/24DF
- Compatible with Sennheiser, Jabra and Plantronics

# IP Phones

## 1050i Advanced

### Advanced Gigabit color IP Phone

- 8 line 4.3" (480 x 272) color display
- Up to 36 programmable keys with 12 self-label keys
- HD audio for handset and speaker with wideband codec (G.722, Opus)
- Full duplex speakerphone with wideband voice
- Dual Gigabit Ethernet ports
- 1 USB port for charging mobile devices and USB accessories



## 1040i Professional

### Professional Gigabit color IP Phone

- 6 line 3.5" (480 x 320) color display
- Up to 24 programmable keys with 8 self-label keys
- HD audio for handset and speaker with wideband codec (G.722, Opus)
- Full duplex speakerphone with wideband voice
- Dual Gigabit Ethernet ports
- 1 USB port for charging mobile devices and USB accessories



## 1030i Essential

### Essential Gigabit color IP Phone

- 6 line 2.8" (480 x 320) color display
- Up to 18 programmable keys with 6 self-label keys
- HD audio for handset and speaker with wideband codec (G.722, Opus)
- Full duplex speakerphone with wideband voice
- Dual Gigabit Ethernet ports



## 1020i Basic

### Basic Gigabit IP Phone

- 4 line 2.8" (132 x 64) gray scale display
- Up to 16 programmable keys with 4 self-label (x3 pages) and 4 paper-label keys
- HD audio for handset and speaker with wideband codec (G.722, Opus)
- Full duplex speakerphone with wideband voice
- Dual Gigabit Ethernet ports



## 1010i Entry

### Cost effective entry IP Phone

- 4 line 2.4" (132 x 64) BW display
- 4 self-label programmable keys
- HD audio for handset and speaker with wideband codec (G.722, Opus)
- Full duplex speakerphone with wideband voice



## 1024idss

### Expanding the scalability and responsiveness

- 24 buttons DSS
- Compatible with 1020i, 1030i, 1040i, 1050i



## LG-EHS-KIT

(Electronic Hook Switch Adapter)

### Enable remote control for well-known EHS Headsets

- Wired and wireless EHS devices support
- Stable and better quality operation
- EHS headset support :  
Plantronics (Savi 700 series, CS 500 series)  
Jabra (PRO 920, 925, 9450, 9460, 9470, Duo 9460, 9465)  
Sennheiser EHS (D10, DW Pro, SDW 5000)

\* All Previous terminals of iPECS LIP and LDP series are compatible with the latest Unified 4.0 update.

# IP DECT Bases / Phones



**150dh** Handset

- 2 inch TFT Color LCD
- 200/17 hrs standby/talk time
- Li-Ion battery
- 250 local phonebook
- Emergency button
- Vibration ring
- Bluetooth for headset
- IP65 compliant
- Pull cord support
- Man-down support
- 16 languages
- 3.5mm headset jack
- Beltclip included



**GDC-800H** Handset

- 2 inch TFT Color LCD
- 200/18 hrs standby/talk time
- Li-Ion battery
- 100 local phonebook
- 16 languages
- Emergency button (ok button)
- Vibration ring
- 3.5mm headset jack
- Beltclip included



**110dh** Handset

- 1.44 inch TFT Color LCD
- 75/8 hrs standby/talk time
- 2x AAA NiMH batteries
- 50 local phonebook
- 16 languages
- 3.5mm headset jack
- No beltclip



**130db** Base

- Max 254 base station in a zone
- Up to 1,000 handsets registerable
- 8/10 simultaneous calls (Multi-cell case/ Single cell case)
- Narrow or Wide Band audio
- Mutual Authentication
- Software Upgrade Over The Air
- Air sync and LAN sync
- Central Directory



**110db** Base

- Single base
- 1 repeater for coverage expansion
- Up to 20 users can be registered
- 5 simultaneous calls
- Narrow or Wide Band audio
- Central Directory



**GDC-800R** Repeater

- Up to 6 repeaters per 130db
- 1 repeater per 110db

## System Capacity – KSUD

		1st KSU	2nd KSU	Total	System max
Trunks	CO	16	16	32	56
	BRI (ch)	4	-	4	
	SIP	12	12	24	
Extensions	DKT	24 ( 8 )	24 ( 8 )	48	140
	SLT	36 ( 4 )	36 ( 4 )	72	
	IP EXT / IP DECT	64 ( 32 )	-	64	

\* ( ) default number of interfaces

## System Components

Item	Board	Description
KSU	KSUD	8 DKT and 4 SLT Interfaces Voice Mail (Default : 4 ch/2 hrs, Max : 14 ch/17 hrs) VOIP: built-in max 12ch (default 2ch). Expandable up to 24 with 2nd KSU 32 IP EXT/MEX by default. Built-in UCS license for 2 advanced users Built-in ClickCall : 2 copies
Trunk Interface Boards	eMG100-COIU4	4 CO Line Interface Unit
	eMG100-BRIU2	2 BRI (4 ch) Interface Unit
Extension Interface Boards	eMG100-SLIB8	8 SLT Interface Board
	eMG100-SLIU8	8 SLT Interface Unit
	eMG100-DTIB8	8 DKT Interface Board
Function Boards	eMG100-MEMU	Memory Expansion Module Unit for VM (15 hours expansion)
	eMG100-MISU	Miscellaneous Resource Unit (1 Ext MOH, 1 Ext Page, 3 Replays, 1 RS232, 1 USB**)
Accessory	eMG100-RMB	19" Rack Mounting Bracket
	eMG100 - EXPKIT	KSU Expansion Kit
	eMG100-BATTCABLE	External Battery Cable
	eMG100-KCC	KSU Cord Cover

\* Available only in limited countries.

\*\*Application of USB resource will be available from end of 2020.

iPECS is an Ericsson-LG Brand



**AUCKLAND**  
76 Carbine Rd  
Mt Wellington  
09 574 2700

**WELLINGTON**  
25 Centennial Highway  
Ngauranga Gorge  
04 477 9142

**CHRISTCHURCH**  
112 Wordsworth St  
Sydenham  
03 379 7926

**ORDER ONLINE**  
www.atlasgentech.co.nz  
orders@atlasgentech.co.nz  
Freephone 0800 222 220

**ATLAS GENTECH**  
DATA COMMUNICATIONS SECURITY  
AN ANIXTER COMPANY