

DIVAR IP all-in-one 5000

www.boschsecurity.com



BOSCH
Invented for life



- ▶ All-in-one, fully featured video recording and management solution for up to 42 channels
- ▶ Out-of-the-box IP video recording with up to 48 TB (4 x 12 TB) storage capacity pre-installed
- ▶ Robust, secure operation – instant real time access to video
- ▶ Advanced user and alarm management
- ▶ 3 years warranty, including parts replacement within 3 business days services

The DIVAR IP all-in-one 5000 appliance is an affordable and easy to use all-in-one recording, viewing, and management solution for network surveillance systems of up to 42 channels (with 8 channels pre-licensed). Running the full BVMS solution and powered by Bosch Video Recording Manager including the Video Streaming Gateway to integrate third-party cameras, it is an intelligent IP video management and storage device.

DIVAR IP all-in-one 5000 is a 4-bay mini tower unit that combines advanced management and state-of-the-art recording management into a single cost-effective, plug and play IP recording appliance for IT-minded customers.

System overview

The DIVAR IP all-in-one 5000 appliance utilizes a highly energy efficient, embedded design which boasts Bosch quality through-and-through.

Easy to install and operate, the system features wizard-based set-up and centralized configuration. All components are pre-installed and pre-licensed. Simply connect to the network and power the unit up - DIVAR IP all-in-one is ready to begin recording straight out of the box.

BVMS manages all IP and digital video and audio, plus all the security data being transmitted across your IP network. It seamlessly combines IP cameras and encoders, provides system-wide event and alarm management, system health monitoring, user and priority management.

Functions

DIVAR IP all-in-one 5000 features front-swappable SATA hard drives providing up to 48 TB of gross storage capacity. All system software is pre-installed – creating an out-of-the-box ready-to-use video management appliance. DIVAR IP all-in-one 5000 utilizes Microsoft Windows Storage Server 2016 (64-bit).

Instant real time access to video

View high quality HD or even UHD video despite low or limited bandwidth connections. Dynamic Transcoding technology ensures you can view your video immediately – anytime, anywhere.

Dynamic Transcoding decodes and re-encodes the data stream to a lower rate bit stream tailored to the bandwidth of the connection.

When the video is paused, the instant detail enhancement feature instantly displays the full resolution video.

Management

Once booted up the system will offer immediate access to the BVMS management application via a customized GUI. The ability to use one central GUI for configuration and operation management reduces installation and training requirements, and helps keep ongoing system management costs low.

Remote viewing

For remote viewing of a single DIVAR IP all-in-one system, BVMS Operator Client is included. For multiple systems, add them to BVMS Enterprise Management Server.

Alternatively, use Video Security App for remote viewing from mobile devices.

Bosch quality

Bosch subjects all its products to the most comprehensive and rigorous battery of quality endurance tests in the industry. Our recording products are subjected to extreme temperatures, voltages and vibrations to determine reliable operating limits, so you can be assured of long-term reliable operation. And Bosch firmly stands behind every product it sells with an end-to-end 3 year warranty backed by technical support.

Certifications and approvals

Region	Regulatory compliance/quality marks	
Europe	CE	DIVAR IP all-in-one 5000

Installation/configuration notes

System status

DIVAR IP all-in-one 5000 comes fully loaded and fully functional with Microsoft Operating System and Bosch applications:

Windows Storage Server 2016, 64-bit;
BVMS;
Video Recording Manager including
Video Streaming Gateway;
Dynamic Transcoding.

Configuration

DIVAR IP all-in-one 5000 comes pre-configured in a standard non-RAID configuration and provides the following specifications:

Gross capacity	Net capacity	Bandwidth (read & write)	Cameras
w/o HDD	n/a	170 Mbit/s	42
4 x 4 TB	14896 GB	170 Mbit/s	42
4 x 8 TB	29792 GB	170 Mbit/s	42
4 x 12 TB	44688 GB	170 Mbit/s	42

These values refer to the system with all supported Bosch CCTV applications installed and running; net capacity for a non-RAID configuration; 42 connected cameras indicate the number of concurrent recordable cameras including the connected replay clients.

Operation modes

DIVAR IP all-in-one 5000 can operate in three different modes:

- Full video recording and management system, utilizing the BVMS and Video Recording Manager core components and services. This mode allows for advanced video management features such as event and alarm handling. A base license with 8 included camera channels is already pre-licensed. You can expand the system up to 32 channels with a MBV-BLIT-DIP license and further up to 42 channels with additional 1-channel licenses (MBV-1CHAN-DIP). The recorded video streams need to be configured in a way that the maximum bandwidth of the system (BVMS/Video Recording Manager base system plus iSCSI storage expansions) is not exceeded.
- Pure video recording system, utilizing the Video Recording Manager core components and services. In this mode 32 Video Recording Manager camera-recording channels are already pre-licensed. You can expand the system up to 42 channels with the Video Recording Manager channel licenses listed in the ordering information. The recorded video streams need to be configured in a way that the maximum bandwidth of the system (BVMS/Video Recording Manager base system plus iSCSI storage expansions) is not exceeded.
- iSCSI storage expansion for a BVMS or Video Recording Manager system, which runs on a different hardware. Up to two of these iSCSI storage expansions can be added to a BVMS or Video Recording Manager system running on a DIVAR IP all-in-one 5000.

License limitations

For the BVMS licenses applied on DIVAR IP all-in-one 5000, please note the upper limit of each:

License type	Pre-licensed	Upper limit
Workstation clients	2	5
DVR/BRS systems	1	10
CCTV keyboards	2	5
Mobile Video Service	1*	1*
Intrusion Panels	1	5

*Mobile Video Service needs to run on separate hardware

For further information, under **Ordering information** see **Software Options**.

**Notice**

Bosch is not liable for system failures of units equipped with third-party hard drives if the third-party hard drives are source of the issues.

**Notice**

The system requires mouse and keyboard for setup and operation. These components are not included.

**Notice**

The parts replacement within 3 business days service level can only be provided if the respective system has been registered immediately after receipt and installation. Otherwise, service will be provided based on best effort basis. Information about registration details is available in every shipment (registration form) or from the Bosch online product catalog. This service level cannot be provided in every country everywhere. For limitations and exceptions see the registration details in the registration form.

Technical specifications**Electrical**

Power supply	250 W Flex ATX Multi-output Bronze Power Supply 100 / 240 VAC, 50 / 60 Hz
--------------	--

Mechanical

Form factor	4-bay mini tower
USB ports	2 x USB 2.0 (front) 2 x USB 3.1 (rear) 2 x USB-C (rear)
Network ports	2 x RJ45 Gigabit Ethernet LAN
Dimensions (H x W x D)	240 x 210 x 279 mm (9.45 x 8.27 x 11 in)
Gross weight	6.8 kg (15 lb)

Environmental

Operating temperature	+0 °C to +40 °C (+32 °F to +104 °F)
Non-operating temperature	-40 °C to +70 °C (-40 °F to +158 °F)
Operating relative humidity	8 to 90% (non-condensing)
Non-operating relative humidity	5 to 95% (non-condensing)

Processor	
Processor	Intel i3-8100 processor
Socket	1 x (Intel processor socket LGA1151)
Chipset	Intel Q370

Memory	
Memory type	DDR SO-DIMM
Memory installed	8 GB SO-DIMM

Storage	
Storage type	4 trays: 3.5-inch SATA
Hard drives installed	DIP-5244IG-4HD and DIP-5244GP-4HD: 4 x HDD (4 TB) DIP-5248IG-4HD and DIP-5248GP-4HD: 4 x HDD (8 TB) DIP-524CIG-4HD and DIP-524CGP-4HD: 4 x HDD (12 TB) DIP-5240IG-00N and DIP-5240GP-00N: none (optionally 4 TB/8 TB/12 TB HDD)

Graphics	
GPU version	4 x Mini-DisplayPort
Onboard graphics version	1 x DVI 1 x DisplayPort 1 x HDMI

Ordering information

DIP-5244IG-4HD Management Appliance 4x4TB

All-in-one recording, viewing and management solution for network surveillance systems.

With onboard graphics and 4 x 4 TB storage capacity.

Order number **DIP-5244IG-4HD**

DIP-5248IG-4HD Management Appliance 4x8TB

All-in-one recording, viewing and management solution for network surveillance systems.

With onboard graphics and 4 x 8 TB storage capacity.

Order number **DIP-5248IG-4HD**

DIP-524CIG-4HD Management Appliance 4x12TB

All-in-one recording, viewing and management solution for network surveillance systems.

With onboard graphics and 4 x 12 TB storage capacity.

Order number **DIP-524CIG-4HD**

DIP-5240IG-00N Management Appliance w/o HDD

All-in-one recording, viewing and management solution for network surveillance systems.

With onboard graphics and without HDD.

Order number **DIP-5240IG-00N**

DIP-5244GP-4HD Management Appliance GPU 4x4TB

All-in-one recording, viewing and management solution for network surveillance systems.

With graphics card and 4 x 4 TB storage capacity.

Order number **DIP-5244GP-4HD**

DIP-5248GP-4HD Management Appliance GPU 4x8TB

All-in-one recording, viewing and management solution for network surveillance systems.

With graphics card and 4 x 8 TB storage capacity.

Order number **DIP-5248GP-4HD**

DIP-524CGP-4HD Management Appliance GP 4x12TB

All-in-one recording, viewing and management solution for network surveillance systems.

With graphics card and 4 x 12 TB storage capacity.

Order number **DIP-524CGP-4HD**

DIP-5240GP-00N Management Appliance GPU wo HD

All-in-one recording, viewing and management solution for network surveillance systems.

With graphics card and without HDD.

Order number **DIP-5240GP-00N**

Accessories

DIP-AIO4-HDD 4TB HDD DIVAR IP all-in-one

Hard disk storage expansion for DIVAR IP all-in-one appliances with a capacity of 4 TB.

Order number **DIP-AIO4-HDD**

DIP-AIO8-HDD 8TB HDD DIVAR IP all-in-one

Hard disk storage expansion for DIVAR IP all-in-one appliances with a capacity of 8 TB.

Order number **DIP-AIO8-HDD**

DIP-AIO12-HDD 12TB HDD DIVAR IP all-in-one

Hard disk storage expansion for DIVAR IP all-in-one appliances with a capacity of 12 TB.

Order number **DIP-AIO12-HDD**

KBD-UXF Keyboard, USB CCTV-oriented

USB CCTV-oriented keyboard for use with BVMS, BIS - Video Engine, or DIVAR IP systems.

Order number **KBD-UXF**

Software Options

MBV-BLIT-DIP License Lite base for DIVAR IP AIO 5000

BVMS license for DIVAR IP all-in-one 5000.

Expansion license to expand to 32 channels (cameras/decoders).

Order number **MBV-BLIT-DIP**

MBV-1CHAN-DIP License Camera/decoder expansion

BVMS license for DIVAR IP all-in-one.

Expansion license for 1 channel (cameras/decoders).

Order number **MBV-1CHAN-DIP**

MBV-XWST-DIP License Workstation expansion

BVMS license for DIVAR IP.

Expansion license for 1 workstation (each extra workstation requires 1 license).

Order number **MBV-XWST-DIP**

MBV-XDVR-DIP License DVR expansion

BVMS license for DIVAR IP.

Expansion license for 1 DVR. Order the exact number required.

Order number **MBV-XDVR-DIP**

MBV-XKBD-DIP License Keyboard expansion

BVMS license for DIVAR IP.

Expansion license for 1 CCTV keyboard. Order the exact number required.

Order number **MBV-XKBD-DIP**

MBV-XMVS-DIP License Mobile video service expansion

BVMS license for DIVAR IP.

Expansion license for 1 Mobile Video Service.

Order number **MBV-XMVS-DIP**

MBV-XINT-DIP License Intrusion panel expansion

BVMS license for DIVAR IP.

Expansion license to integrate intrusion panels.

Order number **MBV-XINT-DIP**

MVM-XVRM-016 16 camera Upgrade License

Video Recording Manager upgrade license.

For 16 cameras.

Order number **MVM-XVRM-016**

Represented by:

Europe, Middle East, Africa:
Bosch Security Systems B.V.
P.O. Box 80002
5600 JB Eindhoven, The Netherlands
Phone: + 31 40 2577 284
emea.securitysystems@bosch.com
emea.boschsecurity.com

Germany:
Bosch Sicherheitssysteme GmbH
Robert-Bosch-Ring 5
85630 Grasbrunn
Germany
www.boschsecurity.com

North America:
Bosch Security Systems, Inc.
130 Perinton Parkway
Fairport, New York, 14450, USA
Phone: +1 800 289 0096
Fax: +1 585 223 9180
onlinehelp@us.bosch.com
www.boschsecurity.us

Asia-Pacific:
Robert Bosch (SEA) Pte Ltd, Security Systems
11 Bishan Street 21
Singapore 573943
Phone: +65 6571 2808
Fax: +65 6571 2699
apr.securitysystems@bosch.com
www.boschsecurity.asia