

## Improved voice quality and UX, newly designed digital phone iPECS LDP-9200 Series

Empower your business with iPECS LDP-9200 Series. Newly designed and rich features, iPECS LDP-9200 Series have an intuitive interface that improves user usability. Also, it provides high voice quality to increase user experience. With wide range of models, it allows for diverse combinations that fit any business environment.

#### LDP-9240D

- 320 x 144 graphic LCD with backlit
- 12(2 pages, total 24) flexible buttons (Dual LED)
- Full duplex speaker phone
- Support button kit(12/24/48 DSS)
- Support EHSA

#### LDP-9224DF

- 192 x 36 graphic LCD with backlit
- 24 flexible buttons(Dual LED)
- Full duplex speaker phone
- Support button Kit(12/24/48 DSS)
- Support EHSA

#### LDP-9224D

- 3 x 24 character LCD without backlit
- 24 flexible buttons(Dual LED)
- Half duplex speaker phone
- Support button Kit(Only 48 DSS)
- Support EHSA

#### LDP-9208D

- 2 x 24 character LCD without backlit
- 8 flexible buttons(Dual LED)
- Half duplex speaker phone
- No support button Kit

	<ul> <li>Power via keyset</li> </ul>
nal	
	LIP-9024DSS
	<ul> <li>24 keys w/ith triple color LED</li> </ul>

# SS

 Paper underlay Power via keyset

ACCESSORY

12 keys with

LIP-9012DSS

triple color LED Paper underlay

#### LDP-9248DSS

- -48 keys with triple
- color LED
- Paper underlay
- Power via keyset

(			
100			
the second se			
1.00			
	_		
	_		
	_		
	_		
	_		
100			

#### **EHSA** (Electronic Hook Switch Adapter)

- Compatible with
- Plantronics and Jabra
- Package of EHSA& foot stand

Basic

Standard



Profession

Advanced

#### **Specification**

		LDP-9208D	LDP-9224D	LDP-9224DF	LDP-9240D	
Display	LCD size(Pixels)	24 Character	24 Character	192 x 36	320 x 144	
	LCD dimension(W x H mm)	94.5 x 18	94.5 x 28	94.5 x 30.61	94 x 47	
	UI line	2 line	3 line	3 line	8 line	
	Backlit	Ν	10	Yes		
	LCD type	Character LCD	Character LCD	Graphic LCD	Graphic LCD	
-	Programmable button with BLF	8	24	24	24	
	Soft key	No	·			
Keypad	Navigation key	No			Yes	
51	Fixed button (Dedicated hard key)	8	11	11	11	
	LED button	5	6	6	6	
Network Interfaces	EHSA	No Yes				
	Handset(RJ-9) Yes			es		
Audio Interfaces	Headset(RJ-9)	Yes				
	Speaker phone	Half duflex	Half duflex	Full duflex	Full duflex	
Hardware Specification	Acctive/Standby power consumption(Watt)	1.6/1	1.6/1	1.8/1.2	1.8/1.2	
	Dimension(H x W x D, mm)	195 x 229 x 108	229 x 229 x 126.2	229 x 229 x 126.2	229 x 229 x 126.2	
	Weight(Net, g)	922	998	1008	1024	
	Phone tilting	No Yes				
Others	Button kit support	No	Yes			
	Wall mount	Optional				

#### **DSS Option**

Model	LIP-9012DSS	LIP-9024DSS	LDP-9248DSS	
Compatibility	LDP-922	LDP-9224D/24DF/40D		
Flexible button	12	24	48	
Underlay type	Paper			
Maximum connection		2		
Triple color LED	Yes			
External power	No			

### EHSA(Electronic Hook Switch Adaptor)

EHSA is a set of cables connect between wireless or wired headset and desk phones. It enables customers to answer and end calls away from their desks.

#### **Benefits**

- Support wired and wireless devices
- Common use in digital and IP phones
- Stable operation and better quality

#### Specifications

- CPU : CortexM0
- Power : From phone(5V, 3.3V)
- Phone communication : DSS port 14 pin
- EHSA selection : Auto detection
- Protocol : SIP/IPKTS
- Compatible models : Plantronics Serial Bus(PSB)/Jabra UART Bus

The content of this document is subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson-LG Enterprise shall have no liability for any error or damage of any kind resulting from the use of this document



iPECS is an Ericsson-LG Brand