

Contact information:

Name
Title
Department

Phone
Web/Fax
E-mail

Name
Title
Department

Phone
Web/Fax
E-mail

Compatibility overview for Cisco



jabra.com/cisco



Jabra - Cisco Compatibility Guide

Professional headsets

Stay in touch throughout the office

Jabra Evolve™ Series

- Made for voice and music
- Passive noise cancellation and
- Active noise cancellation - Evolve 80
- Busylight - Evolve 40, 65 and 80
- Discrete boom arm - Evolve 40, 65 and 80
- Smartphone & Tablet Ready - Evolve 40, 65 and 80
- Listen in - Evolve 80



Image shows the Jabra Evolve™ 80.

Jabra Motion™ Office – Stay in touch wherever you go

- One headset for all your phones
- Touch screen/touch sensors for optimum call control
- Multiuse connectivity: mobile phone, softphone and desk phone
- Easy installation with SmartSetup wizard
- Wideband sound and Digital Signal Processing for clearer calls
- Dual microphone Noise Blackout™
- Easy call-handling with PC Call Manager, keyboard shortcuts and dial pad for mobile and softphones
- Up to 100 m / 300 ft wireless Bluetooth® range (25 m / 80 ft for mobile phone)¹



Image shows the Jabra Motion™ Office with base station and touch screen.

Jabra Pro™ 9400 Series – Stay in touch around the office

- One headset for all your phones
- Touch screen/touch sensors for optimum call control
- Multiuse connectivity: desk phone, softphone and mobile phone
- Easy installation with SmartSetup wizard
- Wideband sound and Digital Signal Processing for clearer calls
- Dual microphone Noise Blackout™ or Noise-cancelling microphone variants
- Easy call-handling with PC Call Manager, keyboard shortcuts and dial pad for mobile and softphones
- Up to 150 m / 450 ft wireless range¹



Image shows the Jabra Pro™ 9470 with dual microphone Noise Blackout technology.


Did you Know?

Ready for Unified Communications (UC). Jabra UC-ready headsets offer true wideband sound and plug-and-play capability with UC systems from leading Jabra suppliers. Learn more at: www.jabra.com/uc

¹ Range varies according to the environment in which the headset is used

Customized

Four simple steps to the best headset selection for your customers



Headsets with seal of approval

Certifications are a recognised quality feature for all products. They not only guarantee compliance with manufacturer-specific standards, but also ensure the availability of additional functionality

Partnership and technology partner status



As individual as you are

Three different wearing styles offer flexibility and comfort

Headband



Neckband



Earhook



Wireless solutions for Cisco phones



1 Select an existing phone	Unified IP Phone 6945 ⁶	Unified IP Phone 8811 / 8841 / 8845 / 8851 / 8861 / 8865	Unified IP Phone 7942 G / 7945 G	Unified IP Phone 7962 G / 7965 G / 7975 G	Unified IP Phone 7821 / 7841 / 7861	Unified IP Phone 8941 / 8945	Unified IP Phone 7902 / 7905 / 7911 / 7912 / 7931	Unified IP Phone 7940 / 7940G / 7941 / 7960 / 7960G / 7961 / 7970 / 7970G / 7971G	Unified IP phone 6901 / 6911 / 6921 / 6941 / 6961	Cisco Jabber for iPad ⁵ Cisco Jabber for iPhone ⁵ Cisco Jabber for Android ⁵ DX 70 / DX 80	Cisco Wireless IP Phone (WLAN) 7925 / 7926 / 8821 Unified IP Phone 8945 / 9951 / 9971 8845 / 8851 / 8861 / 8865 Cisco DX650	Unified IP Phone 8961 / 9951 / 9971 / 8851 / 8861 / 8865 Cisco DX650 DX 70 / DX 80		
2 Link options And RHL/ EHS/RCC requirements	<p>Jabra EHS Adapter 107 Jabra Link 14201-43</p>		<p>Jabra EHS Adapter 87 Jabra Link 14201-22</p>		<p>Jabra EHS Adapter 94 JABRA Link 14201-41</p>		<p>RHL possible using 108 Jabra GN1000</p>		<p>EHS possible via Bluetooth® connection⁵</p>		<p>Jabra EHS Adapter 88 Jabra Link 14201-30 EHS possible. This connection is via the phone USB port</p>			
3 Matching headset	<p>10 Jabra Pro 920 Mono 161 Jabra Pro 920 Duo 8 Jabra Pro 925 Mono</p>		<p>1 Jabra Pro 9470 2 Jabra Pro 9465 3 Jabra Pro 9460 4 Jabra Pro 9460 Duo 5 6 7 Jabra Pro 9450 15 Jabra Motion Office</p>		<p>10 Jabra Pro 920 Mono 161 Jabra Pro 920 Duo 8 Jabra Pro 925 Mono 15 Jabra Motion Office 1 Jabra Pro 9470 2 Jabra Pro 9465 3 Jabra Pro 9460 4 Jabra Pro 9460 Duo 5 6 7 Jabra Pro 9450</p>		<p>1 Jabra Pro 9470 2 JabraPro 9465 3 Jabra Pro 9460 4 Jabra Pro 9460 Duo 5 6 7 Jabra Pro 9450</p>		<p>10 Jabra Pro 920 Mono 161 Jabra Pro 920 Duo 8 Jabra Pro 925 Mono 15 Jabra Motion Office</p>		<p>1 Jabra Pro 9470 2 Jabra Pro 9465 13 Jabra Motion UC 14 Jabra Motion UC with travel and charge kit 15 Jabra Motion Office 76 Jabra Speak 810 78 Jabra Speak 510 79 Jabra Speak 510+ 9 Jabra Pro 935 NC 156 157 Jabra Evolve 65 140 Jabra Stealth UC</p>		<p>1 Jabra Pro 9470² 2 Jabra Pro 9465² 3 Jabra Pro 9460² 4 Jabra Pro 9460 Duo² 5 6 7 Jabra Pro 9450 10 Jabra Pro 920 161 Jabra Pro 920 Duo 8 Jabra Pro 925, NC 11 Jabra Pro 930⁴ 162 Jabra Pro 930 DUO⁴ 9 Jabra Pro 935 NC 13 Jabra Motion UC⁴ 14 Jabra Motion UC with travel and charge kit⁴ 15 Jabra Motion Office 156 157 Jabra Evolve 65⁴ 140 Jabra Stealth UC⁴</p>	

Meaning of arrow colours

EHS Headset
Call acceptance is possible directly from the headset (Electronic Hook Switch)

Standard headset
The phone does not support electronic call acceptance, EHS (Electronic Hook Switch)

VOIP Softphone.
Headsets for use with computers or VoIP softphones

Wireless solutions for Cisco conference units and soft phones



1 Select an existing phone	7937G	E20 EX60 EX90	DX 70 / DX 80	VXME VXC 6215	Cisco Jabber Cisco Spark	CUPC CUCILync WebEx Connect ³	Cisco IP Communicator (CIPC)									
2 Link options And RHL/ EHS/RCC requirements	<p>RHL possible using 108 Jabra GN1000</p> <p>Or</p> <p>112 Connector cable (RJ9-Jack 2,5mm)</p>		<p>EHS possible via bluetooth connection</p>		<p>117 Connector cable⁸ (QD-2x 3,5mm Jack) + 118 Connector cable⁸ (RJ9 to QD)</p>		<p>RCC. No additional drivers needed</p> <p>EHS possible via BT connection using LINK360</p>		<p>RCC. No additional drivers needed</p>		<p>Cisco Jabber 9.6 or later (Windows) RCC. No additional Drivers needed</p> <p>Cisco Jabber for Mac. RCC from 11.7 (MAC)</p> <p>Cisco Spark RCC using BT on Apple iOS 10 all other configurations Audio Device only</p>		<p>RCC with Jabra Direct for CUPC and CUCILync</p> <p>RCC without Jabra Direct for WebEx Connect from version 9.2.6</p>		<p>RCC without Jabra Direct for CIPC version 7.0.3 or later</p>	
3 Matching headset	<p>1 Jabra Pro 9470 2 Jabra Pro 9465 3 Jabra Pro 9460 4 Jabra Pro9460 Duo 5 6 7 Jabra Pro 9450</p>		<p>10 Jabra Pro 920 161 Jabra Pro920 Duo 8 Jabra Pro 925 NC 15 Jabra Motion Office</p>		<p>1 Jabra Pro 9470 2 Jabra Pro 9465 13 Jabra Motion UC 14 Jabra Motion UC with travel and charge kit 15 Jabra Motion Office 156 157 Jabra Evolve 65 140 Jabra Stealth UC</p>		<p>1 Jabra Pro 9470 2 Jabra Pro 9465 3 Jabra Pro 9460 4 Jabra Pro 9460 Duo 5 6 7 Jabra Pro 9450 10 Jabra Pro 920 161 Jabra Pro 920 Duo 8 Jabra Pro 925 NC</p>		<p>1 Jabra Pro 9470 2 Jabra Pro 9465 3 Jabra Pro 9460 4 Jabra Pro 9460 Duo 5 6 7 Jabra Pro 9450 11 Jabra Pro 930 9 Jabra Pro 935 NC 140 Jabra Stealth UC</p>		<p>13 Jabra Motion UC 14 Jabra Motion UC with travel and charge kit 15 Jabra Motion Office 79 Jabra Speak 510+ 76 Jabra Speak 810 156 157 Jabra Evolve UC 65 120 121 Jabra Handset 450 for CISCO</p>					

¹ From Cisco Firmware version 9.0(3). This connection is via the phone USB port
² Required software version: Minimum Value Pack 2 – Value Pack 2 and Value Pack 3 can be downloaded via Jabra PC Suite
³ Webex Connect 7.2.6 enables Plug and Play call control with Jabra USB devices (Jabra Direct is not needed)

⁴ Direct connect via USB. EHS adaptor 14201-30 not needed.
⁵ RCC available via BT using Jabra Motion on Cisco Jabber (iPhone), Cisco Jabber (iPad) and Android. Other BT headsets RCC not available.
⁶ RCC available from firmware version 9.3(3)
⁸ No RCC, audio only



Corded solutions for Cisco phones



1 Select an existing phone	Unified IP Phone 6921 6941 6945 ⁸ 6961	Unified IP Phone 6911 ⁵ 6901 ⁸	Unified IP Phone 7821 / 7841 / 7861	Unified IP Phone 7902 ⁷ 7905 ⁷ 7911 ⁷ 7912 ⁷	Unified IP Phone 7931 / 7940 7940 G / 7941 7942 G / 7945 G 7962 G / 7965 G	Unified IP Phone 7960 / 7960 G / 7961 7970 / 7970 G 7971G / 7975G	Unified IP Phone 8811 / 8841 8851 / 8861 8845 / 8865	Unified IP Phone 8941 / 8945	Unified IP Phone 8961 9951 9971	Cisco Wireless IP Phone (WLAN) 7920 7921G 7925G ⁶ 7926G ⁶	Cisco DX650 Cisco Wireless IP phone 8821 Cisco Jabber for iPad Cisco Jabber for iPhone Cisco Jabber for Android	VXME VXC 6215 Cisco DX650	Cisco Jabber Cisco Jabber for Mac Cisco Spark	Cisco IP Communicator (CIPC) ³	CUPC CUCILync WebEx Connect	Unified IP Phone 8961 / 9951 9971 / 8851 8861 / 8865	Meaning of arrow colours				
2 Link options	104 Jabra GN1200		Or		97 Jabra Link 850 98 Jabra Link 860 (QD-USB)		116 Connector cable (QD-2,5mm Jack)		115 Connector cable (QD-3,5mm Jack)		RCC. No additional drivers needed		Cisco Jabber 9.6 or later RCC No additional Drivers needed. Cisco Jabber for Mac RCC from 11.7 Cisco Spark Audio Device only		RCC with Jabra Direct from CIPC version 2.0.1.1 Jabra Direct is not needed for CIPC version 7.0(3) or higher		RCC with Jabra Direct for CUPC and CUCILync RCC without Jabra PC Suite for WebEx Connect from version 9.2.6		RCC possible with Jabra Biz 2400 USB Jabra Biz 2300 USB Jabra Evolve 20,30,40,80 Jabra Handset 450 or Jabra Link 280 No additional drivers needed. ¹		EHS headset Call acceptance is possible directly from the headset (Electronic Hook Switch)
3 Matching headset					28 Jabra Biz 2400 II Mono NC 30 Jabra Biz 2400 II Duo NC 130 Jabra Biz 2300 Mono NC 131 Jabra Biz 2300 Duo NC 164 Jabra Biz 1500 Mono NC 165 Jabra Biz 1500 Duo NC								96 Jabra Link 280 (QD-USB) RCC possible Or 95 Jabra Link 220 (QD-USB) No RCC, volume and mute control		Or 97 Jabra Link 850 (QD-USB) 98 Jabra Link 860 (QD-USB) No RCC		31 Jabra Biz 2400 II USB Mono NC 32 Jabra Biz 2400 II USB Duo NC 35 Jabra Biz 2400 II USB Mono NC BT 36 Jabra Biz 2400 II USB Duo NC BT 136 Jabra Biz 2300 USB Mono NC 137 Jabra Biz 2300 USB Duo NC 166 Jabra Biz 1500 USB Mono NC ⁴ 167 Jabra Biz 1500 USB Duo NC ⁴ 75 Jabra Speak 410 78 Jabra Speak 510		79 Jabra Speak 510+ 76 Jabra Speak 810 150 Jabra Evolve 20 UC Mono NC 151 Jabra Evolve 20 UC Stereo NC 152 Jabra Evolve 30 II UC Mono NC 153 Jabra Evolve 30 II UC Stereo NC 154 Jabra Evolve 40 UC Mono NC 155 Jabra Evolve 40 UC Stereo NC 158 Jabra Evolve 80 UC Stereo NC		Standard headset The phone does not support electronic call acceptance, EHS (Electronic Hook Switch)
																			VOIP Softphone. Headsets for use with computers or VoIP softphones		

Corded solutions for Cisco conference units



1 Select an existing phone	7937G	E20	EX60	EX90	DX 70 / DX 80		
2 Link options	110 Connector cable (QD-Jack 2,5mm)	104 Jabra GN1200	117 Connector cable (QD-2x 3,5mm Jack)		RCC. No additional drivers needed		
3 Matching headset	28 Jabra Biz 2400 II Mono NC 30 Jabra Biz 2400 II Duo NC	130 Jabra Biz 2300 Mono NC 131 Jabra Biz 2300 Duo NC	164 Jabra Biz 1500 Mono NC 165 Jabra Biz 1500 Duo NC		31 Jabra Biz 2400 II USB Mono NC 32 Jabra Biz 2400 II USB Duo NC 35 Jabra Biz 2400 II USB Mono NC BT 36 Jabra Biz 2400 II USB Duo NC BT 136 Jabra Biz 2300 USB Mono NC 137 Jabra Biz 2300 USB Duo NC 166 Jabra Biz 1500 USB Mono NC ⁴ 167 Jabra Biz 1500 USB Duo NC ⁴	120 121 Jabra Handset 450 for Cisco 75 Jabra Speak 410 78 Jabra Speak 510 79 Jabra Speak 510+ 76 Jabra Speak 810 150 Jabra Evolve 20 UC Mono NC 151 Jabra Evolve 20 UC Stereo NC 152 Jabra Evolve 30 II UC Mono NC	153 Jabra Evolve 30 II UC Stereo NC 154 Jabra Evolve 40 UC Mono NC 155 Jabra Evolve 40 UC Stereo NC 158 Jabra Evolve 80 UC Stereo NC

¹ From Cisco Firmware version 9.0(3). This connection is via the phone USB port and simultaneous PC operation is not possible. USB cable is included with the headset
² Jabra Direct provides call control for Cisco Unified Personal Communication (CUPC), Cisco Unified Communication Integration for Microsoft® Office Communicator (CUCIMOC), Cisco Unified Communication Integration for Microsoft® Lync™ (CUCILync) and Cisco WebEx Connect 7.1.1 or higher. In addition, Cisco IP Communicator 7.0(3) and later incorporates a "Plug and Play" driver for

Jabra USB headsets and Speakerphone
³ RCC with Jabra Direct from CIPC version 2.0.1.1. Jabra Direct is not needed for CIPC version 7.0(3) or higher
⁴ No RCC, only volume and mute control
⁵ 7925G and 7926G have Bluetooth connection and all Jabra Bluetooth products will work on these phones

⁷ Applicable with Jabra GN DanaSwitch.
⁸ RCC available from firmware version 9.3(3)

Wireless solutions for Cisco phones



Jabra Model	1 Jabra Pro™ 9470	2 Jabra Pro™ 9465	3 Jabra Pro™ 9460 Mono 4 Jabra Pro™ 9460 Duo	5 Jabra Pro™ 9450	6 Jabra Pro™ 9450 Mono 7 Jabra Pro™ 9450 Duo
Connectivity/ noise environment					
Microphone/ Boom arm	Noise Blackout™/ MidiBoom	Noise Cancelling/ FlexBoom	Noise Cancelling/ FlexBoom	Noise Cancelling/ MidiBoom	Noise Cancelling/ FlexBoom
Speakers	mono	Duo	Mono/Duo	Mono	Mono/Duo



Jabra Model	10 Jabra Pro™ 920 161 Jabra Pro™ 920 Duo	8 Jabra Pro™ 925	11 Jabra Pro™ 930 161 Jabra Pro™ 930 Duo	9 Jabra Pro™ 935
Connectivity/ noise environment				
Microphone/ Boom arm	Noise Cancelling/ Fixed	Noise Cancelling/ Fixed	Noise Cancelling/ Fixed	Noise Cancelling/ Fixed
Speakers	Mono/Duo	Mono	Mono/Duo	Mono



Jabra Model	13 Jabra Motion UC	14 Jabra Motion UC with Travel & charge kit	15 Jabra Motion OFFICE	140 Jabra Stealth UC	156 Jabra Evolve 65 UC Mono 157 Jabra Evolve 65 UC Stereo
Connectivity/ noise environment					
Microphone/ Boom arm	Noise Blackout™	Noise Blackout™	Noise Blackout™	Noise Blackout	Noise Cancelling/ FlexBoom
Speakers	Mono	Mono	Mono	Mono	Mono

Corded solutions for Cisco phones



Jabra Model	28 Jabra Biz™ 2400 II Mono NC 30 Jabra Biz™ 2400 II Duo NC	31 Jabra Biz™ 2400 II USB Mono NC 32 Jabra Biz™ 2400 II USB Duo NC	31 Jabra Biz™ 2400 II USB Mono NC BT 32 Jabra Biz™ 2400 II USB Duo NC BT	130 Jabra Biz™ 2300 Mono NC 131 Jabra Biz™ 2300 Duo NC	136 Jabra Biz™ 2300 USB NC 137 Jabra Biz™ 2300 USB NC
Connectivity/ noise environment					
Microphone/ Boom arm	Noise Cancelling/ FreeSpin	Noise Cancelling/ FreeSpin	Noise Cancelling/ FreeSpin/BT	Noise Cancelling/ FlexBoom	Noise Cancelling/ FlexBoom
Speakers	Mono/Duo	Mono/Duo	Mono/Duo	Mono/Duo	Mono/Duo



Jabra Model	164 Jabra Biz™ 1500 Mono NC 165 Jabra Biz™ 1500 Duo NC	166 Jabra Biz™ 1500 USB Mono NC 167 Jabra Biz™ 1500 USB Duo NC	120 Jabra Handset 450 for Cisco 121 Jabra Handset 450 for Cisco
Connectivity/ noise environment			
Microphone/ Boom arm	Noise Cancelling/ FlexBoom	Noise Cancelling/ FlexBoom	Omni Directional
Speakers	Mono/Duo	Mono/Duo	Mono



Jabra Model	75 Jabra Speak™ 410	78 Jabra Speak™ 510	79 Jabra Speak™ 510+	76 Jabra Speak™ 810
Connectivity/ noise environment				
Microphone/ Boom arm	Omni Directional	Omni Directional	Omni Directional	ZoomTalk Technology
Speakers	Mono	Mono	Mono	Mono



Jabra Model	150 Jabra Evolve 20 Mono 151 Jabra Evolve 20 Stereo	152 Jabra Evolve 30 II UC Mono 152 Jabra Evolve 30 II UC Stereo	154 Jabra Evolve 40 UC Mono 155 Jabra Evolve 40 UC Stereo	158 Jabra Evolve 80 UC Stereo
Connectivity/ noise environment				
Microphone/ Boom arm	Noise Cancelling/ FlexBoom	Noise Cancelling/ FlexBoom	Noise Cancelling/ FlexBoom	Noise Cancelling/ FlexBoom
Speakers	Mono/Stereo	Mono/Stereo	Mono/Stereo	Stereo

Ordering information

Wireless solutions		EMEA Item No#	UK Item No#	NA Item No#	APAC Item No#	
Jabra Pro™ 9470	NB	1	9470-26-904-101	9470-26-904-102	9470-66-904-105	9470-26-904-102 or -103
Jabra Pro™ 9465	NC Duo	2	9465-29-804-101	9465-29-804-102	9465-69-804-105	9465-29-804-102 or -103
Jabra Pro™ 9460	NC Mono	3	9460-25-707-101	9460-25-707-102	9460-65-707-105	9460-25-707-102 or -103
Jabra Pro™ 9460 Duo	NC Duo	4	9460-29-707-101	9460-29-707-102	9460-69-707-105	9460-29-707-102 or -103
Jabra Pro™ 9450	NC Mono Midi	5	9450-25-507-101	9450-25-507-102	9450-65-507-105	9450-25-507-102 or -103
Jabra Pro™ 9450 Flex	NC Mono Flex	6	9450-25-707-101	9450-25-707-102	9450-65-707-105	9450-25-707-102 HK/SG; -103 AU/NZ; -106 JP
Jabra Pro™ 9450 Duo	NC Duo Flex	7	9450-29-707-101	9450-29-707-102	9450-69-707-105	9450-29-707-102 or -103
Jabra Pro™ 920	NC Mono Fixed	10	920-25-508-101	920-25-508-102	920-65-508-105	920-25-508-102 or -103
Jabra Pro™ 920 Duo	NC Duo Fixed	161	920-29-508-101	920-29-508-102	920-69-508-105	920-29-508-102 or -103
Jabra Pro™ 925	NC Mono Fixed	8	925-15-508-201	925-15-508-202	925-15-508-205	925-15-508-202 HK/SG; -203 AU/NZ
Jabra Pro™ 925 2G4	NC Mono Fixed		N/A	N/A	925-15-508-185	925-15-508-185 or 182
Jabra Pro™ 930	NC Mono Fixed	11	930-25-509-101	930-25-509-102	930-65-509-105	930-25-509-102 or -103
Jabra Pro™ 930 duo	NC Duo Fixed	162	930-29-509-101	930-29-509-102	930-69-509-105	930-29-509-102 or -103
Jabra Pro™ 935	NC Mono Fixed	9	935-15-509-201	935-15-509-202	935-15-509-205	935-15-509-202 HK/SG; -203 AU/NZ
Jabra Pro™ 935 2G4	NC Mono Fixed		N/A	N/A	935-15-509-185	935-15-509-182 or 185
Jabra Stealth UC	NB	140	5578-230-109	5578-230-109	5578-230-109	5578-230-109
Jabra Motion UC	NB	13	6630-900-101	6630-900-102	6630-900-105	6630-900-102 HK/SG; -103 AU/NZ
Jabra Motion UC with Travel & charge kit	NB	14	6640-906-101	6640-906-102	6640-906-105	6640-906-102 HK/SG; -103 AU/NZ
Jabra Motion Office	NC	15	6670-904-101	6670-904-102	6670-904-105	6670-904-103
Jabra Evolve 65	NC Mono FlexBoom	156	6593-829-309	6593-829-309	6593-829-309	6593-829-309
Jabra Evolve 65	NC Stereo FlexBoom	157	6599-829-409	6599-829-409	6599-829-409	6599-829-409
Corded solutions		EMEA Item No#	UK Item No#	NA Item No#	APAC Item No#	
Jabra Biz™ 2400 II	NC Mono	28	2406-820-204	2406-820-204	2403-820-205	2403-820-205
Jabra Biz™ 2400 II	NC Duo	30	2409-820-204	2409-820-204	2409-820-205	2409-820-205
Jabra Biz™ 2400 II USB	NC Mono	31	2496-829-104	2496-829-104	2496-829-105	2496-829-104
Jabra Biz™ 2400 II USB	NC Duo	32	2499-829-104	2499-829-104	2499-829-105	2499-829-105
Jabra Biz™ 2400 II USB	NC Mono BT	35	2496-829-209	2496-829-209	2496-829-209	2496-829-209
Jabra Biz™ 2400 II USB	NC Duo BT	36	2499-829-209	2499-829-209	2499-829-209	2499-829-209
Jabra Biz™ 2300	NC Mono	130	2303-820-104	2303-820-104	2303-820-105	2303-820-105
Jabra Biz™ 2300	NC Duo	131	2309-820-104	2309-820-104	2309-820-105	2309-820-105
Jabra Biz™ 2300 USB	USB NC Mono	136	2393-829-109	2393-829-109	2393-829-109	2393-829-109
Jabra Biz™ 2300 USB	USB NC Duo	137	2399-829-109	2399-829-109	2399-829-109	2399-829-109
Jabra Biz™ 1500	NC Mono	164	1513-0154	1513-0154	1513-0157	1513-0157 ANZ 1513-0153
Jabra Biz™ 1500	NC Duo	165	1519-0154	1519-0154	1519-0157	1519-0157 ANZ 1519-0153
Jabra Biz™ 1500 USB	NC Mono	166	1553-0159	1553-0159	1553-0159	1553-0159 ANZ 1553-0153
Jabra Biz™ 1500 USB	NC Duo	167	1559-0159	1559-0159	1559-0159	1559-0159 ANZ 1559-0153

Corded solutions		EMEA Item No#	UK Item No#	NA Item No#	APAC Item No#	
Jabra Evolve 20 UC	Mono	150	4993-829-209	4993-829-209	4993-829-209	4993-829-209
Jabra Evolve 20 UC	Stereo	151	4999-829-209	4999-829-209	4999-829-209	4999-829-209
Jabra Evolve 30 II UC	Mono	152	5393-829-309	5393-829-309	5393-829-309	5393-829-309
Jabra Evolve 30 II UC	Stereo	153	5399-829-309	5399-829-309	5399-829-309	5399-829-309
Jabra Evolve 40 UC	Mono	154	6393-829-209	6393-829-209	6393-829-209	6393-829-209
Jabra Evolve 40 UC	Stereo	155	6399-829-209	6399-829-209	6399-829-209	6399-829-209
Jabra Evolve 80 UC	Stereo	158	7899-829-209	7899-829-209	7899-829-209	7899-829-209
Jabra Speak™ 410	OD	75	7410-209	7410-209	7410-209	7410-209
Jabra Speak™ 510	OD	78	7510-209	7510-209	7510-209	7510-209
Jabra Speak™ 510+	OD	79	7510-409	7510-409	7510-409	7510-409
Jabra Speak™ 810	ZT	76	7810-209	7810-209	7810-209	7810-209
Jabra Handset 450	Dark	120	990-011-04	990-011-04	990-011-05	990-011-04
Jabra Handset 450	Light	121	990-012-04	990-012-04	990-012-05	990-012-04
Adapters		EMEA Item No#	UK Item No#	NA Item No#	APAC Item No#	
Jabra Link™ 14201-16	EHS Adapter	83	14201-16	14201-16	14201-16	14201-16
Jabra Link™ 14201-22	EHS Adapter	87	14201-22	14201-22	14201-22	14201-22
Jabra Link™ 14201-30	EHS Adapter	88	14201-30	14201-30	14201-30	14201-30
Jabra Link™ 14201-41	EHS Adapter	94	14201-41	14201-41	14201-41	14201-41
Jabra Link™ 14201-43	EHS Adapter	107	14201-43	14201-43	14201-43	14201-43
Jabra Link™ 220		95	220-19	220-19	220-19	220-19
Jabra Link™ 280		96	280-09	280-09	280-09	280-09
Jabra Link™ 850		97	850-09	850-09	850-09	850-09
Jabra Link™ 860		98	850-09	850-09	850-09	850-09
Jabra GN1200		104	88011-99	88011-99	88011-99	88011-99
Jabra GN DanaSwitch		106	1600-719	1600-719	1600-719	1600-719
Jabra GN1000		108	1000-04	01-0397	01-0369	01-0397
Connector cables		EMEA Item No#	UK Item No#	NA Item No#	APAC Item No#	
(QD-Jack 2,5mm)		110	8800-00-46	8800-00-46	1005143	1005143
(RJ9-Jack 2,5mm)		112	8800-00-75	8800-00-75	8800-00-75	8800-00-75
(QD-Jack 3,5mm)		115	8800-00-87	8800-00-87	8800-00-87	8800-00-87
(QD-jack 2.5mm)	4 Pole Jack	116	8800-00-79	8800-00-79	8800-00-79	8800-00-79
(QD-2x 3,5mm Jack)		117	8734-599	8734-599	8734-599	8734-599
(RJ9 to QD)		118	8800-01-01	8800-01-01	1003945	1003945

NC = Noise-cancelling
 OD = Omni Directional
 NB = NoiseBlackout™
 ZT = ZoomTalk Technology
 N/A = Not available