



# Fibre optic drawer

### Catalogue number(s): 0 335 09/10



0 335 09



0 335 10

#### 1. USE

Modular 19" fibre optic drawer - Cat. No. 0 335 10

Modular slide and tilt drawer for easy access to optical fibres.


Supplied with screws and wiring accessories.

Accommodates up to 4 fibre optic units, 4 cables and 3 splice cassettes.


Accommodates up to 24 ST and SC connectors and 48 LC connectors.

19" fibre optic drawer equipped with SC units - Cat No. 0 335 09 Equipped with 4 SC units - Cat. No. 0 335 17 Modular slide and tilt drawer for easy access to optical fibres. Supplied with screws and wiring accessories.

### 2. USUAL CONNECTION



#### 3. OVERALL DIMENSIONS



#### 4. TECHNICAL CHARACTERISTICS

- Swallow-tail design of rear of drawer for easier cable insertion
- End-of-travel stop with 30° tilt
- Effective depth: 220 mm
- Height 1U
- Accommodates up to 4 fibre optic units

Supplied with screws and cabling accessories:

For mounting in 19" rack:

- 4 screw bolts
- 4 washers
- 4 screws


#### For FO cable:

- 2 cable-glands
- 4 cable ties
- 4 fibre coiling accessories, suitable for mounting and 1/4 turn repositioning
- 2 cable-entry rings
- 1 drawer support to be mounted on the rack
- 1 drawer with stop and 30° tilt at end of travel for easier cabling

# Fibre optic drawer

Catalogue number(s): 0 335 09/10

#### 5. ACCESSORIES



Updated: 10/09/2012

#### Accessories common to both drawers:

- Cassette for pigtails: Cat. No. 0 329 07
- Coiling kit: Cat. No. 0 335 94

## Fibre optic units for fibre optic drawer Cat. No. 0 335 10

- Single-mode fibre optic units (9/125 μm)
  - 0 33513: LC unit for 6 single-mode fibres
  - 0 33512: SC unit for 6 single-mode fibres
- Multi-mode fibre optic units (62.5 and 50/125  $\mu$ m)
  - 0 33516: ST unit for 6 multi-mode fibres
  - 0 33517: SC unit for 6 multi-mode fibres
  - 0 33518: LC unit for 6 multi-mode fibres
  - 0 33519: High-density LC unit for 12 multi-mode fibres

#### Other characteristics:

Material: galvanised steelWeight: 2,605 g

Technical data sheet: F01065EN/01